





Fil



FIL | CL - 120501 | Técnicas



5m

CARACTERÍSTICAS

VOLTAJE	DC 12 V
POTENCIA	4 W/M
CRI	>90
LED	5050
CORTE	10cm

A MEDIDA




COLOR - LM

2700°K	290 lm
4000°K	300 lm
6400°K	335 lm
RGB	

OPTICA

120°

FIL | CL - 120502 | Técnicas



5m

CARACTERÍSTICAS

VOLTAJE	DC 12 V
POTENCIA	7,2 W/M
CRI	>90
LED	5050
CORTE	10cm

A MEDIDA




COLOR - LM

2700°K	441 lm
4000°K	450 lm
6400°K	499 lm
RGB	

OPTICA

120°

FIL | CL - 120503 | Técnicas



5m

CARACTERÍSTICAS

VOLTAJE	DC 12 V
POTENCIA	14,8 W/M
CRI	>90
LED	5050
CORTE	10cm

A MEDIDA




COLOR - LM

2700°K	882 lm
4000°K	900 lm
6400°K	941 lm
RGB	

OPTICA

120°





5m

CARACTERISTICAS

VOLTAJE	DC 12 V
POTENCIA	4 W/M
CRI	>90
LED	5050
CORTE	10cm

COLOR - LM


2700°K	290 lm
4000°K	300 lm
6400°K	335 lm
RGB	

A MEDIDA



OPTICA

120°



5m

CARACTERISTICAS

VOLTAJE	DC 12 V
POTENCIA	7,2 W/M
CRI	>90
LED	5050
CORTE	10cm

COLOR - LM


2700°K	441 lm
4000°K	450 lm
6400°K	499 lm
RGB	

A MEDIDA



OPTICA

120°



5m

CARACTERISTICAS

VOLTAJE	DC 12 V
POTENCIA	14,8 W/M
CRI	>90
LED	5050
CORTE	10cm

COLOR - LM

2700°K	882 lm
4000°K	900 lm
6400°K	941 lm
RGB	

A MEDIDA




OPTICA

120°



FIL | CL - 120507 | Técnicas



5m roll

CARACTERÍSTICAS

VOLTAJE	DC 12 V
POTENCIA	4,8 W/M
CRI	>90
LED	3528
CORTE	10cm

A MEDIDA




COLOR - LM

2700°K	290 lm
4000°K	300 lm
6400°K	335 lm
RGB	

OPTICA

120°

FIL | CL - 120508 | Técnicas



5m roll

CARACTERÍSTICAS

VOLTAJE	DC 12 V
POTENCIA	12 W/M
CRI	>90
LED	3528
CORTE	10cm

A MEDIDA




COLOR - LM

2700°K	441 lm
4000°K	450 lm
6400°K	499 lm
RGB	

OPTICA

120°

FIL | CL - 120509 | Técnicas



5m roll

CARACTERÍSTICAS

VOLTAJE	DC 12 V
POTENCIA	19,2 W/M
CRI	>90
LED	3528
CORTE	10cm

A MEDIDA



COLOR - LM

2700°K	1330 lm
4000°K	1405 lm
6400°K	1580 lm
RGB	

OPTICA

120°

